IXUS

PowerShot

SELPHY

COMPACT PHOTO PRINTER

you can

HS SYSTEM

Canon

IXUS

Cameras to treasure

With sleek, tactile designs made from the best materials, every IXUS fuses technology and style giving you satisfaction with every shot.

Unique IXUS styling houses the latest in imaging advances – from innovative compact high zooms to the powerful HS System for excellent performance in low-light. Included in each model are intelligent technologies that work behind the scenes to guide you to great photos every time you press the button.

SELPHY

COMPACT PHOTO PRINTER

Bring your memories to life

With a SELPHY Compact Photo Printer you can produce lab-quality long-lasting prints in seconds from any digital photo as well as have fun with a range of creative effects, frames, layouts and print sizes.

Easy enough for everyone to use, a SELPHY is a high quality, convenient and cost-effective way to bring your memories to life.

PowerShot

Excellence and ease

The perfect camera is one that makes photography a pleasure. With the PowerShot range, you'll find a high performance model to suit every ability.

From one-touch shooting to manual control, enjoy slim, pocketsize design or customise with a range of accessories from Speedlite flash to lens filter adapters. No matter which model you choose, every PowerShot blends Canon's leading-edge innovation and world-class optics with brilliantly intuitive design.

Not all colour variations displayed. Some colour variations may not be available in some regions.

Canon HS pixels.
Photos will never be the same again.

Canon HS pixels. Photos will never be the same again.

Canon's innovative HS System represents a cutting edge combination of high-sensitivity sensor and DIGIC 4 processor working together to give premium image quality even in low light. This reduces the need to shoot with flash or tripod, allowing you to capture the real, natural atmosphere of the moment.

HS System

The optimised combination of sensor and DIGIC 4 processor is the key to HS System's amazing low light results. As well as the latest sensor technologies, the 10MP and 12.1MP resolutions mean that each pixel is larger than on higher resolution models. Bigger pixels can capture more light and this increased sensitivity leads to clearer, more refined Images with less unwanted noise.

Many models also feature back-illuminated CMOS sensors which can capture more light than conventional CMOS sensors and perform better in low light. CMOS also enables high speed shooting features like fast continuous shooting, High-speed Burst, Super Slow Motion Movie and Full HD movie capture.

Low light conditions

Compared to conventional cameras, HS System captures images with up to 60 per cent less noise, more visible detail and more accurate colours in all lighting situations. However, HS System truly excels in low light conditions and apart from providing superior image quality is also able to overcome common low light shooting problems such as capturing a well exposed subject against a dark, night-time background or capturing a moving subject without blur when shooting indoors.

DIGIC 4 Processing

Canon's DIGIC processor is the brain inside every Canon digital camera – working with the image sensor to ensure optimum quality and fast operation, as well as powering intelligent technologies such as Face Detection and Motion Detection Technology. DIGIC 4 is Canon's most advanced processor, offering near-instant startup, superb detail and low noise (even at high ISO) plus enhanced movie functionality.

TECHNOLOGY

HS System

Superior image clarity, colour and detail in all situations

Even at the highest ISO sensitivities, HS System delivers low noise, detailed images with accurate and pleasing colours. This means that you can get great results in situations where you would normally not be able to – without using flash or something to rest the camera on.



Canon camera with HS System (ISO 1600)



Camera without HS System (ISO 1600)

The photos on this page are real sample images

Shoot without flash to capture the true atmosphere

Flash is often necessary to prevent blur in low light shots but it can ruin the atmosphere of a photo, resulting in pale faces and unnatural colours. Also, it can be hard for you to see the location as the background is too dark. HS System cameras allow you to shoot without flash, capturing the scene exactly as you remember it.

Camera without HS System (Auto Flash – flash fired)

Real ambiance captured with Canon camera with HS System (Auto Flash – Flash did not fire)

Using flash can make the background too dark

HS System can shoot without flash to capture the true atmosphere

Shoot blur-free images in low light without a tripod

Shooting night scenes without resting the camera on a stable object can give blurred results. Because of the low-light abilities of HS System, you can shoot handheld with less blur.



Blurred night scene without HS System

Sharp night scene with HS System

TECHNOLOGY

Canon's pioneering vision

Every Canon digital camera benefits from over 70 years of optical excellence to deliver outstanding results. Unique lens coatings, design and precise manufacturing result in images of the highest quality that Canon is renowned for.

ULTRASONIC

UA Lens

Lens Know-How

Canon's heritage can be seen in every one of the lenses it makes. Innovation is at the forefront of our brand and we are constantly evolving new technologies to allow optics to be highly compact and yet still deliver stunning optical clarity and sharpness. Canon's range of digital compact camera lenses share designs, materials, manufacturing and quality testing with many other Canon optics such as TV broadcast and EOS EF lenses – trusted by millions of professionals throughout the world.

Pioneering Canon-developed technologies like the optical Image Stabilizer (IS) keep shots free from blur and the Ultrasonic Motor (USM) aids quick and silent zooming to offer further improvements in image quality and response times. Add to that an extensive range of zooms – covering everything from 24mm wide angle to 35x zoom – and it's clear to see that Canon offers the ultimate in flexible and powerful products.

OPTICAL IMAGE STABILIZER

OPTICAL IMAGE STABILIZER DYNAMIC

HYBRID IS

Bye Bye To Blur

When shooting with the zoom extended or in dark conditions, camera shake is likely – increasing the possibility of blur. Recognising this, Canon developed the optical Image Stabilizer (IS) which uses minute vibration gyros to detect camera movement. Elements in the lens are then moved to counter camera shake allowing the camera to capture an image with drastically reduced blur.

Our optical Image Stabilizer is now effective to 4.5 stops in the PowerShot SX30 IS so you can shoot at approximately 4.5 shutter speed steps slower than a camera without IS and still get a shake free image. Dynamic IS and Hybrid IS were pioneered to combat blur in specific shooting conditions. Dynamic IS assesses low-frequency vibrations, such as walking, to produce much steadier video footage when the photographer is in motion, while Hybrid IS corrects linear movement which specifically causes problems during close-up macro shooting.



Without Optical Image Stabilizer

With Optical Image Stabilizer

* Not all features are available on all cameras, please refer to Page 15.

TECHNOLOGY

Smart Auto Technology

Smart Auto is the ultimate automatic shooting mode. It uses multiple intelligent technologies to allow everyone to easily obtain the best result by simply pointing the camera at a subject and pressing the shutter button. Its superior intelligence helps you capture everything, from multiple faces and moving objects to high contrast backlit subjects and dark nightscapes, with stunning sharpness, detail and colour. Whether you need to capture a fleeting photographic moment or to take holiday pictures without hassle, Smart Auto will always help you to impress everyone with your results.

Scene Detection Technology

Scene Detection

Scene Detection can detect up to 32 different scenes and helps you to easily capture each moment as you saw it – from the golden sunsets of your summer holiday to your favourite band performing on a spot lit stage.



Without With

Face Detection Technology

Face Detection

Face Detection quickly and accurately detects faces in a scene and then optimises camera settings so that everyone looks their best. With the ability to detect up to 35 faces in a frame, it's great for group photos as well as portraits. Blink Detection provides a warning whenever faces are captured with their eyes closed.

Advanced Subject Detection

Advanced Subject Detection

Advanced Subject Detection can automatically detect a moving subject, such as a vehicle or a pet, and tracks it - ensuring it remains in focus and well-exposed until the picture is taken.

* Not all features are available on all cameras, please refer to Page 15.

Motion Detection Technology

Motion Detection

Motion Detection compensates for camera and subject movement. If movement is detected the camera automatically selects a combination of ISO sensitivity and shutter speed that minimises blur and optimises image quality.

Without With

Smart FE

Smart Flash Exposure

Smart Flash Exposure intelligently controls flash output and usage, for natural-looking results in a variety of conditions. For example it may use flash to eliminate shadows on a subject's face when in bright conditions, or reduce flash power to avoid overexposing subjects in short distance.

Without With

Servo AF/AE

Tracking AF, Servo AF/AE

With Tracking AF you can easily select and track moving objects while Servo AF/AE allows you to keep tracking selected faces or objects continuously for optimal focus and exposure right up to the moment of capture.

TECHNOLOGY

Movies

FULL HD

HD MOVIE
STEREO SOUND

HD MOVIE

Record life as a movie in stunning high definition detail. Most cameras include 720p HD Movie shooting or go for one of our top-range models offering Full HD (1080p) capture with stereo sound for stunning clarity and sound.

Zoom in on your subjects with ease and let Dynamic IS reduce movement and shake. Give your movies a professional, refreshing touch by using the optical zoom whilst recording or shoot in iFrame format for easy sharing. Playback is also easy thanks to the HDMI port which makes it easy to view photos and videos from the camera on an HDTV with no loss of quality.

HDMI

HDMI/CEC

Use a standard HDMI cable to connect your camera with an HDTV and enjoy your photos and movies in perfect clarity and crystal clear sound. Many cameras also support CEC, allowing you to comfortably control movie and image playback using the remote of your HDMI CEC-compatible TV.

Smart AUTO

Smart Auto in Movie

Smart Auto in Movie builds on the technology of Smart Auto to bring you effortlessly great results in your movies. Using Scene Detection Technology it constantly evaluates the shooting scene by analysing multiple image elements and then selects the most appropriate settings for up to 21 different situations.



Without

With

Super Slow Motion Movie

Super Slow Motion Movie

Slow down fast-paced action like sports or add a spectacular effect to a waterfall with Super Slow Motion Movie. Movies can be recorded in two settings: 240fps in QVGA quality and 120fps in VGA quality.

iFrame

The Apple iFrame* video format is a 720p, computer-friendly video format designed to dramatically simplify the process of transferring, editing and playing back video recorded with your camera. With iFrame, the video in your camera is in the same format in which you'll edit, allowing you to start editing and sharing your movies right away across multiple platforms and devices. Because it's based on standard technologies such as H.264, AAC, MP4 and QuickTime, iFrame can be used with PC and Mac applications.

iFrame

*The iFrame logo and the iFrame symbol are trademarks of Apple Inc.

Movie Button

Movie Record Button

A movie record button featured on many cameras gives you instant access to movie capture at the touch of a button.

* Not all features are available on all cameras, please refer to Page 15.

TECHNOLOGY

Features for everyone

High-speed shooting

Never miss the perfect moment with high-speed shooting. Cameras equipped with CMOS sensors can shoot continuously up to 3.7 shots per second in full resolution and 8.8 shots per second using the High-speed burst mode.*

* Some high-speed modes output at reduced resolution.

Handheld Night Scene

With this mode it is possible to take nightscape photos without having to mount the camera on a tripod. In Handheld Night Scene, the camera will take a high speed sequence of shots and then combine them into a single image with the least possible blur and the best possible exposure.

High Dynamic Range (HDR)

In higher contrast situations, conventional cameras aren't able to capture both dark shadows and bright highlights at the same time. High Dynamic Range mode captures these by taking multiple exposures of the same scene before combining them back into one image in the camera. This allows the camera to capture the highlights, shadows, and everything in between, closer to how the photographer sees it.

Live View Control

Live View Control allows beginners to easily adjust the look and feel of their photos by controlling three types of picture settings – brightness, colour and tone. These simple terms can be easily understood and the effects appear instantly on the LCD monitor, allowing users to confirm in real time how their settings will look before the shot is taken.

Hints & Tips

Helping you to quickly get to grips with your new camera and saving you time spent reading the manual, Hints & Tips provide quick explanations of most menus and functions with their benefits.

Easy mode

Easy mode provides the simplest point and shoot mode for beginners. In Easy mode, Smart Auto is active, selecting the optimum settings for best results across a wide range of shooting scenes. Shooting information displayed on the screen is minimised so the user can concentrate on picture-taking, while most of the function buttons are disabled to prevent accidental changes to settings.

	Page	PowerShot A800	PowerShot A1200	PowerShot A2200	PowerShot A3200 IS	PowerShot A3300 IS	PowerShot D10	PowerShot SX130 IS	PowerShot SX210 IS	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX30 IS	PowerShot S95	PowerShot G12	IXUS 115 HS	IXUS 220 HS	IXUS 300 HS	IXUS 310 HS	IXUS 1000 HS
ADVANCED LOW LIGHT PERFORMANCE																			
HS System	5									✓	✓		✓	✓	✓	✓	✓	✓	✓
LENS TECHNOLOGY																			
Ultrasonic Motor	8											✓							
Optical Image Stabilizer	8				✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Dynamic IS mode	8				✓	✓			✓	✓	✓	✓			✓	✓		✓	✓
Hybrid IS	8												✓	✓					
f/2.0 lens	22												✓				✓	✓	
INTELLIGENT FEATURES																			
Smart Auto (scenes detected)	10	19	32	32	32	32	18	28	22	32	32	28	28	28	32	32	22	32	28
Advanced Subject Detection	10		✓	✓	✓	✓				✓	✓				✓	✓		✓	
Smart Flash Exposure	11	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Servo AF/AE	11		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Tracking AF/ Touch AF	11		✓	✓	✓	✓				✓	✓		✓	✓	✓	✓		✓	
MOVIE FEATURES																			
HD Movie (720p)	12		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Full HD Movie (1080p)	12									✓	✓				✓	✓		✓	✓
Stereo sound	12							✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓
Optical zoom available in movie	12							✓	✓	✓	✓	✓				✓	✓	✓	✓
HDMI	12								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
HDMI CEC support	12									✓	✓		✓	✓	✓	✓		✓	
Smart Auto in Movie	13								✓	✓	✓	✓				✓		✓	✓
iFrame Movie	13									✓	✓							✓	
Super Slow Motion Movie	13									✓	✓				✓	✓	✓	✓	✓
Movie Record Button	13								✓	✓	✓	✓			✓	✓		✓	✓
Movie Digest	23									✓	✓				✓	✓		✓	
Miniature Effect Movie	38		✓	✓	✓	✓				✓	✓	✓	✓	✓	✓	✓		✓	✓
CREATIVE FEATURES																			
High-speed Burst	14									✓	✓				✓	✓	✓	✓	✓
Handheld Night Scene	14									✓	✓				✓	✓		✓	✓
High Dynamic Range mode	14												✓	✓					
Live View Control mode	14		✓	✓	✓	✓													
Manual modes (Av, Tv and M)*	32							✓	✓	✓	✓	✓	✓	✓			✓	✓	
Monochrome	38		✓	✓	✓	✓				✓	✓				✓	✓		✓	
Toy Camera Effect	38		✓	✓	✓	✓				✓	✓				✓	✓		✓	
Miniature Effect	38		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Fish-eye Effect	38		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Super Vivid	38	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Poster Effect	38	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Smart Shutter	39		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SPECIAL FEATURES																			
Easy mode	14		✓	✓	✓	✓		✓	✓	✓	✓								
Hints & Tips	14		✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Touch screen	21																	✓	
GPS	30										✓								
PureColor II screen	32						✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Waterproof & Shockproof	35						✓												
Optical / Electronic Viewfinder	40		✓									✓		✓					
Blur Reduction mode	41	✓	✓	✓															
Eye-Fi connected functions	44								✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
RAW file support	45												✓	✓					
PictBridge Support	47	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

*IXUS feature only Av and Tv modes

IXUS

IXUS moves into a new decade

Following on from ten years of superb style and technology advances, IXUS digital cameras welcome in a new era with HS System technology and stunning looks. Each IXUS combines exquisite, tactile design and metal bodies with Canon's visionary technologies – for cameras that look as good as the pictures they take.

Pure passion

IXUS 220 HS

HS SYSTEM

An unrivalled combination of HS System-powered performance with classic IXUS design; the IXUS 220 HS offers ultra-wide 5x zoom, Full HD and superior low light shooting in a sleek stainless steel body.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 24mm ultra wide, 5x optical zoom Canon lens with optical Image Stabilizer
- Ultra-slim stainless steel body with 6.7 cm (2.7”), strong and clear PureColor II G LCD
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- High-speed Burst and Super Slow Motion Movie capture fast action
- Movie Digest records before each shot to create a bonus movie
- Miniature and Toy Camera effects, Smart Shutter with Smile and Wink Self-Timer
- Handheld Night Scene for clear nightscapes
- Optional Waterproof Cases

24mm WIDE 5×

An ultra-wide-angle lens ensures nothing is left out of your composition – whether shooting vast landscapes or trying to get all your friends in an indoor scene.

Approx. 24mm

Approx. 35mm

HS SYSTEM · 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS · 24mm WIDE 5× · OPTICAL IMAGE STABILIZER · 6.7 cm 2.7” PureColor II G LCD · FULL HD

10x zoom IXUS style

10× OPTICAL ZOOM

The flagship IXUS boasts a slim but powerful 10x optical zoom allowing you to get impressive close ups yet being discreet enough to fit into a pocket.

IXUS 1000 HS

HS SYSTEM

Pushing the boundaries with 10x optical zoom, the IXUS 1000 HS retains a beautifully styled, compact metal body. Impress everyone with HS System image quality, Full HD movies and high-speed shooting.

Key features

- The first 10x optical zoom IXUS, with optical Image Stabilizer
- Stylish compact IXUS with metal body in three colour options*
- Excellent image quality in low light using HS System with 10.0 Megapixel high-sensitivity CMOS
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- 240 fps Super Slow Motion Movie. High-speed Burst: 8.8 shots/sec**
- Wide 7.6 cm (3.0") PureColor II G LCD with enhanced strength and visibility
- Smart Auto detects 28 scene types and optimises settings
- Best Image Selection, Handheld Night Scene and Miniature Effect movie

HS SYSTEM · 10.0 MEGA PIXELS HIGH-SENSITIVITY CMOS · 10× OPTICAL ZOOM · OPTICAL IMAGE STABILIZER DYNAMIC · 7.6 cm 3.0" PureColor II G WIDE LCD · FULL HD

Style and sensitivity

8.0 cm 3.2" Wide Touch

A large 8.0 cm (3.2") touch screen with 461,000 dots and customisable icon layout enables intuitive control of the camera. Touch AF enables you to track focus on a subject by touching the screen, while 10 pre-set Touch Actions give you quick access to a range of useful functions.

IXUS 310 HS

HS SYSTEM

The IXUS 310 HS boasts a large, intuitive touchscreen, with high-speed functions and Full HD movies. A bright f/2.0, 24mm ultra wide lens, and the HS System capture incredible shots, day or night.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- f/2.0, 24mm ultra wide, 4.4x optical zoom with optical Image Stabilizer
- Stainless steel body with wide 8.0 cm (3.2") PureColor II Touch LCD and touch control
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- High-speed Burst and Super Slow Motion Movie capture fast action
- Movie Digest records before each shot to create a bonus movie
- iFrame movie for fast editing

HS SYSTEM · 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS · 24mm WIDE 4.4× · f/2 LENS · 8.0 cm 3.2" Wide Touch · FULL HD

High Speed High Impact

IXUS 300 HS

HS SYSTEM

Powered by a 10 Megapixel high-sensitivity CMOS sensor with f/2.0 lens, and molded in a distinctive stainless steel body, the high speed IXUS 300 HS has stunning looks and image quality to match.

Key features

- High performance IXUS in a stunning stainless steel body
- 10.0 Megapixel high-sensitivity CMOS
- Bright f/2.0, 28 mm, 3.8x genuine Canon lens with optical Image Stabilizer
- HS System with DIGIC 4 for fast shooting and low noise in low light
- 240 fps Super Slow Motion Movie. High-speed Burst: 8.4 shots/sec*
- Wide 7.5 cm (3.0") PureColor II G LCD with enhanced strength and visibility
- Smart Auto and Smart Flash Exposure for great photos in all situations
- HD movies (720p) with optical zoom, stereo sound and HDMI

f/2 LENS

Equipped with a bright f/2.0 lens, the IXUS 300 HS is capable of beautiful, low light images with reduced risk of blur. This wide aperture lens allows you to shoot your subjects in sharp detail against an out-of-focus background for creative results.

HS SYSTEM · 10.0 MEGA PIXELS HIGH-SENSITIVITY CMOS · f/2 LENS · OPTICAL IMAGE STABILIZER · 7.5 cm 3.0" PureColor II G Wide LCD · HD MOVIE STEREO SOUND

Focus on the fun

IXUS 115 HS

HS SYSTEM

With HS System for great shots in low light, Smart Auto and Full HD movies, the stylish metal bodied IXUS 115 HS lets you simply enjoy the fun.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 28mm wide-angle, 4x optical zoom Canon lens with optical Image Stabilizer
- Slim metal body with large 7.6 cm (3.0"), strong and clear PureColor II G LCD
- Full HD movies (1080p) with Dynamic IS and HDMI
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- High-speed Burst and Super Slow Motion Movie capture fast action
- Movie Digest records the fun before each shot to create a bonus movie
- Miniature and Toy Camera effects, Smart Shutter with Smile and Wink Self-Timer

Movie Digest

Movie Digest records a four second VGA-quality movie clip, before each photo is taken. Then all the clips captured from the same day are joined into a single movie providing an alternative and fun way to save your memorable moments without requiring any extra effort.

HS SYSTEM · 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS · 28mm WIDE 4× · OPTICAL IMAGE STABILIZER · 7.6 cm 3.0" PureColor II G WIDE LCD · FULL HD · Movie Digest

PowerShot

Excellence with ease

Make photography a pleasure with the camera ideal for you, whatever your level of experience. With the PowerShot range, you're sure to find a camera that mirrors the way you take photos. From fun point-and-shoot cameras to sophisticated superzoom models with Full Manual Control, the PowerShot range lets you take the pictures you want.

G & S Series

The PowerShot G and S series are designed to meet the demands of serious enthusiasts and offer HS System-powered performance, Full Manual Control as well as a host of intelligent auto features plus RAW capture, High Dynamic Range mode and Hybrid IS. For flexibility with accessories, a vari-angle LCD and 5x zoom, the G series has a professional feel and capacity to handle the most demanding of shots. The S series, a compact high performer, offers a stunning f/2.0 lens that works brilliantly in low-light.

SX Series

Ranging from the world's first 35x optical zoom compact camera, to super compact long zooms packed with features including HS System, GPS, Full HD movies and Full Manual Control, the PowerShot SX series delivers stunning results with no compromises. This dynamic family of capable cameras can be conveniently adjusted to suit all levels of photographic expertise and, for the first time, can be used underwater using an optional waterproof case.

D Series

If recording life's more extreme moments is what you're after, the PowerShot D10 offers you a waterproof, freezeproof and shockproof solution. Capable of being dropped from a height of up to 1.22 metres, operated in temperatures down to -10°C and able to be immersed in water to a depth of 10 metres, the PowerShot D10 is built for more extreme environments and daring adventurers.

A Series

Practical and affordable with a host of great creative features, the PowerShot A series takes Canon's dedication to superb image quality and presents it in a range of easy-to-use, dependable cameras at a great price. Smart Auto and Easy modes make shooting a breeze.

Control Ring

Fully customisable to suit your shooting style, the lens Control Ring allows very quick access to a range of useful controls such as aperture, shutter speed, white balance, focus and manual exposure.

The Benchmark

Accessory options

Enhance your shooting with Canon's range of Speedlite flashes and accessories for the PowerShot G12. A teleconverter, lens filter adapter (for attaching 58mm filters), remote switch, waterproof case and leather soft cases are all available.

PowerShot G12

HS SYSTEM

The PowerShot G12 gives exceptional images with HS System and a premium Canon wide-angle lens. Full Manual mode, RAW, a new Front Dial and optional Lens Filter Adapter allow professional levels of control.

Key features

- Premium image quality in low light using HS System with 10.0 Megapixel high-sensitivity CCD
- Canon 5x (28-140mm) lens with optical Image Stabilizer and Hybrid IS
- 7.0 cm (2.8") vari-angle PureColor II VA LCD with Electronic Level, and optical viewfinder
- Full Manual control with Front Dial, ISO adjustment, RAW & DPP software
- HD Movies (720p) with stereo sound and HDMI
- High Dynamic Range mode for tackling high contrast scenes
- Smart Auto detects 28 scene types and optimises settings
- Multi-Aspect Shooting (5 settings) for composition and printing options

HS SYSTEM · 10.0 MEGA PIXELS HIGH-SENSITIVITY CCD · 28mm WIDE 5× · 7.0 cm 2.8" Vari-angle LCD · HD MOVIE STEREO SOUND · M Manual Control · HYBRID IS HYBRID IMAGE STABILIZER

The pocket camera for the serious photographer

PowerShot S95

HS SYSTEM

With HS System and f/2 lens, the 10.0 MP PowerShot S95 excels in low light. HD Movies, RAW and unique lens Control Ring for quick manual control make it the pocket camera for the serious photographer.

Key features

- Superior low-light performance with HS System and f/2 lens
- High-sensitivity 10.0 Megapixel CCD for all-round outstanding image quality
- Canon wide-angle 28mm, 3.8x zoom with optical Image Stabilizer and Hybrid IS
- Expert control with ISO range adjustment, lens Control Ring, Full Manual and RAW
- 7.5 cm (3.0") PureColor II G LCD with enhanced strength and visibility
- HD Movies (720p) with stereo sound and HDMI
- High Dynamic Range mode for tackling high contrast scenes
- Smart Auto detects 28 scene types and optimises settings

HS SYSTEM · 10.0 MEGA PIXELS HIGH-SENSITIVITY CCD · f/2 LENS · Control Ring · HD MOVIE STEREO SOUND · M Manual Control · HYBRID IS HYBRID IMAGE STABILIZER

Exceed your ambitions with 35x zoom

24mm WIDE
35x

A huge 35x optical zoom range combined with an ultra wide view (35mm equiv: 24-840mm) makes a superbly versatile lens for all subjects. The Ultrasonic Motor (USM) uses ultrasonic vibrations to zoom fast, silently and accurately.

approx. 24mm

approx. 840mm

PowerShot SX30 IS

The PowerShot SX30 IS showcases Canon optical expertise with an ultra-wide 35x optical zoom. The range-leading 4.5 stop optical Image Stabilizer and Zoom Framing Assist make high zoom stills and HD movie shooting a breeze.

Key features

- 35x ultra wide-angle (24-840mm) optical zoom lens for Canon quality telephoto images
- Outstanding hand-shake correction with 4.5-stop optical Image Stabilizer, plus USM and VCM for fast, silent focus and zooming
- 14.1 Megapixels for high detail shots
- 6.8 cm (2.7") vari-angle PureColor II VA LCD, plus electronic viewfinder
- HD Movies (720p) with optical zoom, Dynamic IS, stereo sound and HDMI
- Smart Auto detects 28 scene types and optimises settings
- Shooting modes include Manual, Low Light and Miniature Effect movie
- Zoom Framing Assist helps to quickly find subjects at high zoom
- Optional 67mm Lens Filter Adapter
- Accessories including Canon Speedlites

24mm WIDE 35x · OPTICAL IMAGE STABILIZER · 14.1 MEGA PIXELS · 6.8 cm 2.7" Vari-angle LCD · HD MOVIE STEREO SOUND · M Manual Control

Capture your travels.
Anytime.
Anywhere.

PowerShot SX230 HS

HS SYSTEM

The PowerShot SX230 HS takes great images anywhere with HS System, a wide-angle 14x optical zoom and Full HD movies. GPS[1] tags your shots and logs your journey making this the ultimate travel compact.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 14x optical zoom, 28mm wide-angle lens with optical Image Stabilizer
- GPS tags your shots and logs your journey
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Compact metal body with wide 7.5 cm (3.0") strong and clear PureColor II G LCD
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- Capture fast moving action with High-speed Burst and Super Slow Motion Movie
- Movie Digest records before each shot to create a bonus movie. iFrame movie for fast editing
- Manual, Av and Tv modes for full creative control
- Optional 40m Waterproof Case

HS SYSTEM · 12.1 MEGA PIXELS HIGH-SENSITIVITY CMOS · 28mm WIDE 14× · OPTICAL IMAGE STABILIZER DYNAMIC · GPS · M Manual Control · FULL HD

GPS

Tag the shooting location of your pictures and movies and keep track of your journey with GPS tagging and GPS[1] logging. Use the supplied software to pinpoint your images and routes on Google Maps[2] or share them on Google Earth.

[2] Google, Google Maps and Google Earth are trademarks of Google Inc.

[3] Google Map is being used for the map display.

[1] GPS use may be restricted in certain countries or regions. Use of GPS should comply with the laws and regulations of the country and area in which it is being operated including any restriction on the use of electronics.

Travel light with the camera that packs everything

PowerShot SX220 HS

Packing HS System for stunning images in all situations, a wide-angle 14x optical zoom and Full HD movies, the PowerShot SX220 HS is a powerful combination of leading image quality and flexibility.

Key features

- Premium image quality even in low light using HS System with 12.1 Megapixel CMOS
- 14x zoom, 28mm wide-angle genuine Canon lens
- Canon 4-stop optical Image Stabilizer for steady shots and movies
- Full HD movies (1080p) with optical zoom, stereo sound, Dynamic IS and HDMI
- Compact metal body with wide 7.5 cm (3.0") strong and clear PureColor II G LCD
- Smart Auto detects 32 scenes for the ultimate in point and shoot
- Capture fast moving action with High-speed Burst and Super Slow Motion Movie
- Movie Digest records before each shot to create a bonus movie. iFrame movie for fast editing

HS System · 12.1 Megapixels High-Sensitivity CMOS · 28mm Wide · 14x · Optical Image Stabilizer Dynamic · M Manual Control · Full HD

7.5 cm 3.0" PureColor II G Wide LCD

All PureColor II series LCDs benefit from high contrast, sharp detail and excellent colour rendition for easy framing and playback even under bright lighting. Additionally, PureColor II G screens have a tempered glass layer that improves their strength and visibility.

Super compact super zoom

M Manual Control

Manual modes (Tv, Av and M) give you control over the aperture and the shutter speed settings of the camera, allowing you to give your personal touch to your photos and to experiment with different effects.

PowerShot SX210 IS

With a wide-angle 14x optical zoom and Canon optical Image Stabilizer at its heart, plus full manual control and HD movies, the compact PowerShot SX210 IS is an alliance of power and style.

Key features

- 14x zoom, 28mm wide-angle genuine Canon lens
- 14.1 Megapixels with compact, metal body in three colour options*
- Canon 4-stop optical Image Stabilizer with Dynamic IS
- Wide 7.6 cm (3.0") PureColor II G LCD with enhanced strength and visibility
- HD Movies (720p) with optical zoom, stereo sound and HDMI
- Easy to use with Smart Auto, Face Detection and on-screen Hints & Tips
- Smart Flash Exposure and i-Contrast for best results in all situations
- DIGIC 4 and Servo AF/AE for ultra-fast response and high image quality

*Some colour variations may not be available in some regions

14.1 Megapixels · 28mm Wide · 14x · Optical Image Stabilizer Dynamic · Smart Auto · M Manual Control · HD Movie Stereo Sound

Easy-to-use superzoom

PowerShot SX130 IS

PowerShot SX130 IS delivers great value, high zoom shooting with 12.1 Megapixels and 12x zoom. Master stills and HD Movies with Smart Auto and Easy modes or get creative with Full Manual control.

Hints & Tips

Helping you to quickly get to grips with your new camera and saving you time spent reading the manual, Hints & Tips provide quick explanations of most menus and functions with their benefits.

Key features

- Canon 12x optical zoom with 28mm wide-angle and optical Image Stabilizer to combat camera-shake
- 12.1 Megapixels for detailed shots and poster-size prints
- Easy to use for all the family with Smart Auto and Easy modes – detect 28 scene types and optimise settings
- Large 7.5 cm (3.0") LCD with wide viewing angle
- HD Movies (720p) with optical zoom and stereo sound
- Face Detection including Smart Shutter with Wink Self-Timer
- Shooting modes include Full Manual control, Low Light, Fish-eye and Miniature Effect movie
- Hints & Tips explain all functions and menu options on screen

12.1 MEGA PIXELS · 28mm WIDE 12× · OPTICAL IMAGE STABILIZER · Smart AUTO · M Manual Control · HD MOVIE STEREO SOUND · Hints & Tips

10m 33ft. Waterproof · 1.22m 4.0ft. Shockproof · -10°C 14°F Freezeproof

The PowerShot D10 will perform no matter what the elements throw at it. From -10 degrees C to 10m underwater or dropped from a height of up to 1.22m, it can accompany you on your most daring adventures.

Pictures from the edge

PowerShot D10

Waterproof and shockproof, the durable PowerShot D10 brings quality 12.1 MP imaging to active outdoor activities. Keep your hands free and your camera close with a range of great accessories.

Key features

- Durable 12.1 MP digital camera
- Waterproof (to 10m), shockproof (up to 1.22m) freeze-proof (to -10oC) and dustproof
- 3.0x optical zoom and optical Image Stabilizer
- Smart Auto mode with Scene Detection Technology
- DIGIC 4 for responsive operation, high image quality and improved Noise Reduction
- 6.2cm (2.5") high resolution PureColor LCD II
- Combats blur with ISO Auto, Motion Detection Technology and optical IS
- Great people shots with Face Detection Technology, FaceSelf-Timer, Auto Red-Eye Correction and Blink Detection

12.1 MEGA PIXELS · 3× OPTICAL ZOOM · OPTICAL IMAGE STABILIZER · 2.5" LCD PureColor II · Smart AUTO · Movie 30fps / VGA

Pocket-sized and packed with features

PowerShot A3300 IS

Wrapped in a sleek metal body, the PowerShot A3300 IS captures everything in stunning 16 Megapixel detail. Dynamic Image Stabilizer ensures that HD movies are sharp and steady.

Key features

- 16.0 Megapixel camera with metal body
- 28mm wide-angle, 5x optical zoom Canon lens with optical Image Stabilizer
- Large 7.5 cm (3.0") LCD with Hints & Tips for easy shooting
- Smart Auto and Easy modes can detect 32 scenes so you can simply point and shoot
- HD Movies (720p) with Dynamic IS for steady video when walking
- Live View Control for easy image adjustment while shooting
- Miniature Effect movie and 6 Creative Filters including Fish-eye and Toy Camera Effect
- People shots made easy with Face Detection, FaceSelf-Timer and Auto Red-Eye Correction
- DIGIC 4 for ultra-fast response and high image quality
- Li-ion battery

OPTICAL IMAGE STABILIZER DYNAMIC

Dynamic IS helps you film movies with steady framing and less blur. This special lens-shift Image Stabilizer mode counters unwanted shake caused when filming while walking, allowing you to follow the action with less juddering.

16.0 MEGA PIXELS | 28mm WIDE 5× | OPTICAL IMAGE STABILIZER DYNAMIC | Smart AUTO 32 SCENES | 7.5 cm 3.0" LCD | HD MOVIE

Steady shots of moving moments

PowerShot A3200 IS

With Dynamic Image Stabilizer and a set of other impressive features, the metal bodied PowerShot A3200 IS captures beautiful photos and HD movies with ease.

Key features

- 14.1 Megapixel camera with metal body
- 28mm wide-angle, 5x optical zoom Canon lens with optical Image Stabilizer
- 6.7 cm (2.7") LCD with Hints & Tips for easy shooting and playback
- Smart Auto and Easy modes can detect 32 scenes so you can simply point and shoot
- HD Movies (720p) with Dynamic IS for steady video when walking
- Live View Control for easy manual adjustment while shooting
- Miniature Effect movie and 6 Creative Filters including Fish-eye and Toy Camera Effect
- People shots made easy with Face Detection, FaceSelf-Timer and AutoRed-Eye Correction

Creative Filter

A choice of Creative Filters allows you to have fun with your photos and videos by creating images with greater impact or a different mood. Creative Filters include: Miniature Effect, Toy Camera Effect, Super Vivid, Monochrome, Fish-eye Effect and Poster Effect.

Toy Camera Effect

Monochrome

14.1 MEGA PIXELS · 28mm WIDE 5× · OPTICAL IMAGE STABILIZER DYNAMIC · Smart AUTO 32 SCENES · 6.7 cm 2.7" LCD · HD MOVIE · Creative Filter

PowerShot A2200

With a slim and lightweight design, the PowerShot A2200 can always be with you. Thanks to the intelligent Smart Auto and Easy modes, great pictures are just a click away.

Key features

- Easy and slim 14.1 Megapixel camera
- 28mm wide-angle, 4x optical zoom Canon lens
- 6.8 cm (2.7") LCD with Hints & Tips for easy shooting and playback
- Smart Auto and Easy modes can detect 32 scenes so you can simply point and shoot
- HD Movies (720p)
- Blur Reduction Mode and Motion Detection Technology keep images sharp and clear
- Live View Control for easy manual adjustments while shooting
- Miniature Effect movie and 6 Creative Filters including Fish-eye and Toy Camera Effect

Smart shutter is a great way to trigger a shot without a remote or asking someone else. Smile mode shoots when a smiling face is detected. Wink Self-Timer shoots 2 seconds after winking at the camera and, FaceSelf-Timer counts the faces in the scene and then takes the shot 2 seconds after a new face enters the frame.

Canon quality every time

14.1 MEGA PIXELS · 28mm WIDE 4× · Smart AUTO 32 SCENES · Blur Reduction · 6.8 cm 2.7" LCD · HD MOVIE

Versatile
compact with optical viewfinder

PowerShot A1200

The versatile PowerShot A1200 makes Canon quality photo-taking easy and fun. With optical viewfinder, wide-angle 4x zoom, HD movies and Smart Auto it's a great choice for capturing life's best moments.

Key features

- 12.1 Megapixel camera with optical viewfinder
- 28mm wide-angle, 4x optical zoom Canon lens
- 6.8 cm (2.7") LCD with Hints & Tips for easy shooting and playback
- Smart Auto and Easy modes can detect 32 scenes so you can simply point and shoot
- HD Movies (720p)
- Blur Reduction Mode and Motion Detection Technology keep images sharp and clear
- Live View Control for easy manual adjustments while shooting
- Miniature Effect movie and 6 Creative Filters including Fish-eye and Toy Camera Effect

Optical Viewfinder

An optical viewfinder allows you to take pictures using a more traditional stance. Depending on the shooting conditions, this can give you better stability and improve framing visibility when shooting under very bright conditions.

12.1 MEGA PIXELS | 28mm WIDE 4× | Smart AUTO 32 SCENES | 6.8 cm 2.7" LCD | HD MOVIE | Optical Viewfinder

Canon know-how lets you simply point and shoot

PowerShot A800

You can rely on Canon know-how to take great 10 Megapixel photos with Smart Auto mode. Available in 4 colours, the PowerShot A800 has a lightweight design that is fun and easy to use.

Blur Reduction

Blur Reduction mode helps you to capture pictures with less blur by intelligently selecting an optimal combination of fast shutter speed and high ISO sensitivity at a reduced pixel resolution.

Key features

- Genuine Canon 3.3x optical zoom lens
- 6.2 cm (2.5") LCD for easy sharing and picture taking
- Smart Auto mode can detect 19 different scenes so you can simply point and shoot
- Blur Reduction mode and Motion Detection Technology help keep images sharp and clear
- Simple button layout and easy to use menu
- 16 Shooting modes including Super Vivid, Poster Effect and FaceSelf-Timer
- People shots made easy with Face Detection and Auto Red-Eye Correction
- DIGIC III image processing for natural results and quick performance

10.0 MEGA PIXELS | 3.3× OPTICAL ZOOM | Smart AUTO 19 SCENES | Blur Reduction | 6.2 cm 2.5" LCD | Movie 30 fps / VGA

Enhance and expand your creativity

Canon has a great range of accessories for its award-winning digital compact cameras. From lens filter adapters to Speedlite flashes, waterproof and premium leather cases to teleconverters, Canon's range of top quality accessories will protect your camera and enhance your photography.

Flashes

An external flash can add a new dimension to your pictures. Use the High Power Flash HF-DC1 or a Canon Speedlite as your main flash to give extra light to your shots or use it as a slave unit for more creative shooting such as lighting more than one part of a scene and from a different direction.

Speedlite 430EX II

HF-DC1

Lens Accessories

Filters give you the ability to enhance your photos and to be more creative. The lens filter adapters allow the attachment of various filters such as polarizers which can help enrich the colour of a blue sky or minimize reflections from shiny surfaces.

Filter Adapter FA-DC58B

Protect Filter 67mm

Waterproof cases

Canon waterproof cases and weights offer protection to depths down to 40 metres, opening up the world of underwater photography. They provide easy access to many photographic controls and can also be useful on land, protecting against snow, sand, dust and humidity.

Alternatively, the WP-DC310L (IXUS 115 HS) and WP-DC320L (IXUS 220 HS) offer more compact and affordable protection for depths down to 3 metres. They are perfect for snorkeling and other outdoor activities while providing access to important functions such as White Balance adjustment and Exposure Compensation for adapting the camera to different aquatic environments.

WP-DC42 for PowerShot SX230 HS & SX220 HS

WP-DC41 for IXUS 220 HS

WP-DC310L for IXUS 115 HS

Accessories compatibility

IXUS

	IXUS 115 HS	IXUS 220 HS	IXUS 300 HS	IXUS 310 HS	IXUS 1000 HS
WATERPROOF CASES[1]					
WP-DC39 (waterproof to 40m)	✓				
WP-DC41 (WATERPROOF TO 40M)		✓			
WATERPROOF CASE WEIGHT WW-DC1[2]	✓	✓			
WP-DC310L (waterproof to 3m)	✓				
WP-DC320L (waterproof to 3m)		✓			
SOFT CASES					
DCC-60	✓				
DCC-70			✓	✓	
DCC-1200		✓			
DCC-1700			✓	✓	✓
FLASH					
High Power Flash HF-DC1	✓		✓		✓
BATTERY CHARGERS & POWER SUPPLY					
Battery Charger CB-2LBE					✓
Battery Charger CB-2LVE	✓	✓			
Battery Charger CB-2LYE			✓	✓	
AC Adapter Kit ACK-DC10	✓	✓			
AC Adapter Kit ACK-DC40			✓	✓	
AC-Adapter Kit ACK-DC60	✓	✓			
AC-Adapter Kit ACK-DC70					✓
BATTERIES					
NB-9L					✓
NB-6L			✓	✓	
NB-4L	✓	✓			
OTHER MISCELLANEOUS					
A/V Cable AVC-DC400	✓				
A/V Cable AVC-DC400ST		✓	✓	✓	✓
HDMI Cable HTC-100	✓	✓	✓	✓	✓
USB Interface Cable IFC-400PCU	✓	✓	✓	✓	✓

[1] not all camera functions may be supported
[2] not compatible with WP-DC310L and WP-DC320L
[3] requires the Conversion Lens Adapter LA-DC58K
[4] requires Filter Adapter
[5] requires DC Coupler DR-DC10
[6] not designed for underwater use

PowerShot

	PowerShot A800	PowerShot A1200	PowerShot A2200	PowerShot A3200 IS	PowerShot A3300 IS	PowerShot D10	PowerShot SX130 IS	PowerShot SX210 IS	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX30 IS	PowerShot S95	PowerShot G12
WATERPROOF CASES[1]													
WP-DC34 (waterproof to 40 m)													✓
WP-DC38 (waterproof to 40 m)												✓	
WP-DC42 (waterproof to 40 m)									✓	✓			
Waterproof Case Weight WW-DC1									✓	✓		✓	✓
SOFT CASES													
DCC-490	✓	✓											
DCC-510			✓	✓	✓								
DCC-660													✓
DCC-750							✓						
DCC-850											✓		
DCC-1450												✓	
DCC-1500								✓	✓	✓			
DCC-1600													✓
SC-DC65A													✓
SC-DC70						✓							
LENS ACCESSORIES													
Tele Converter (1.4x) TC-DC58D[3]													✓
Conversion Lens Adapter LA-DC58K													✓
Filter Adapter FA-DC58B													✓
Filter Adapter FA-DC67A												✓	
Protect Filter 58mm													✓
Protect Filter 67mm												✓	
Polarizing Filter PL-C(B) 58mm[4]													✓
Polarizing Filter PL-C(B) 67mm[4]												✓	
Ring Accessory Kit RAK-DC2													✓
Lens Hood LH-DC60												✓	
FLASH													
High Power Flash HF-DC1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓
Speedlite Flash 580EX II, 430EX II, 270EX												✓	✓
Macro Ring MR-14EX													✓
Macro Twin Lite MT-24EX													✓
Off-Camera Shoe Cord OC-E3												✓	✓
Bracket BKT-DC1													✓
Speedlite Bracket SB-E2												✓	✓
Speedlite Transmitter ST-E2												✓	✓
BATTERY CHARGERS & POWER SUPPLY													
Battery Charger CB-2LAE			✓	✓	✓								
Battery Charger CB-2LXE								✓	✓	✓			
Battery Charger CB-2LYE						✓						✓	
Battery Charger CB-2LZE											✓		✓
Charger Kit CBK4-300	✓	✓					✓						
DC Coupler DR-DC10	✓												
AC Adapter Kit ACK 800	✓[5]	✓[5]					✓						
AC Adapter Kit ACK-DC30								✓	✓	✓			
AC Adapter Kit ACK-DC40						✓					✓		
AC Adapter Kit ACK-DC50											✓		✓
AC Adapter Kit ACK-DC60			✓	✓	✓								
BATTERY PACKS													
NB-8L			✓	✓	✓								
NB-7L											✓		✓
NB-6L						✓						✓	
NB-5L								✓	✓	✓			
Ni-MH Batteries NB4-300	✓	✓					✓						
OTHER MISCELLANEOUS													
AV Cable AVC-DC300	✓	✓	✓										
AV Cable AVC-DC400				✓	✓	✓							
AV Cable AVC-DC400ST							✓	✓	✓	✓	✓	✓	✓
PowerShot Leather Neckstrap												✓	
Carabiner Strap STP-DC2[6]						✓							
Shoulder+Neckstrap STP-DC1[6]						✓							
Front Cover Set FC-DC1						✓							
HDMI Cable HTC-100								✓	✓	✓	✓	✓	✓
Remote Switch RS-60E3													✓
USB Interface Cable IFC-400PCU	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Power

Trust Canon for guaranteed power performance. Extra batteries, battery chargers and AC adapter kits let you shoot photos and video for longer and review images without worrying about fading battery life.

Softcases

Softcase SC-DC65A

Softcase DCC-1200

Softcase DCC-850

Perfect Pictures
& Easy Sharing

Sharing pictures is fun, and Canon makes this easy with a wide range of options that will help your images reach friends all around the world.

A **YouTube™** upload function is integrated into the included CameraWindow software. Users who have set up an account with **YouTube™** can login and upload video clips from their computer at the touch of a button.

YouTube READY

CANON iMAGE GATEWAY is an exclusive online photography resource and service for owners of qualified Canon products. As a valued member, you can upload and share your photos and videos with friends, family and anyone else you choose. You will also have access at any time to informative photography-related articles on topics such as macro shooting, portrait photography and more, that will allow you to get the most out of your camera.

CANON iMAGE GATEWAY

EYE FI

For users who want to transfer content wirelessly, many models in the range include Eye-Fi connected* functions. A dedicated Eye-Fi section in the menu is included with on-screen icons to indicate the transfer status and the camera will disable the automatic power-down function when an Eye-Fi card is detected – allowing users to transfer content easily and without interruption.

Digital Photo Professional

Digital Photo Professional (DPP) helps enthusiast users make the most of RAW image files. Included in the box for the PowerShot G and S series, DPP allows you to quickly adjust and fine-tune image parameters such as white balance, exposure, tone and sharpness. You can also batch process images easily into a variety of formats ready for printing and sharing.

ZoomBrowser EX

Each Canon digital camera and SELPHY Compact Photo Printer includes special image management software – ZoomBrowser EX (Windows) or ImageBrowser (Mac) – designed to help you make the most of your images and movies. Sort your images into groups for easy reference, use the retouching and editing tools and share your favourite shots with easy emailing and CANON iMAGE GATEWAY.

Digital Photo Professional

ZoomBrowser EX

* These products are not guaranteed to support Eye-Fi card functions (including wireless transfer). In case of an issue with an Eye-Fi card, please check with the card manufacturer. Also note that approval is required to use Eye-Fi cards in many countries or regions. Without approval, use of the card is not permitted. If it is unclear whether the card has been approved for use in the area, please check with the card manufacturer. www.eye.fi

Bring photos to life

SELPHY

With a SELPHY Compact Photo Printer you can instantly turn your photos into beautiful, long-lasting prints in seconds – as well as experiment with creative effects, layouts and printing formats.

SELPHY Photo Print software

Voice Guidance

The supplied SELPHY Photo Print software features voice guidance for friendly assistance when printing and editing from your computer. Create your own calendar, choose decorative frames, or add clip art and speech bubbles to your prints with Creative Print mode.

100 YEARS PRINT

Dye-Sub

ID Layout

From pixel to print

It's easy to share your pictures with SELPHY. From the moment the picture is taken to the second it is printed out, every stage of the printing process is simple and fuss-free thanks to Canon's intelligent technologies and user friendly design.

Lab-quality prints are made possible with dye-sublimation technology and will last up to 100 years when stored in an album. Thanks to the special protective coating every print is completely dry and resistant to water, fingerprints and scratches.

SELPHY lets you produce prints of different sizes. Layout Print allows you to combine multiple photos on a single page while Shuffle Layout helps you create beautiful collage prints with various colour effects. Auto Image Optimize can automatically improve the image quality of your prints while ID Photo Print allows you to easily create ID photos in widely accepted sizes.

Three steps to great prints



Step 1. Capture & Connect

Canon's IXUS and PowerShot digital cameras have been designed for ease-of-use, and so have SELPHY printers. All you need to do is capture the moment and connect. Any PictBridge compliant camera can connect directly via USB cable. Alternatively, print via computer or simply insert your memory card. The optional Bluetooth adapter (BU-30) can also be used to allow wireless transfer of images, perfect for shots taken on other Bluetooth compatible devices.

Step 2. Display & Select

Images can be easily viewed before printing, too. Simply scroll to the image you want, press Print and a dry, long lasting print will be in your hands in under a minute.

Step 3. Print and Enjoy

With a range of paper sizes to choose from, you can print postcard size prints or even small photo stickers. The SELPHY CP800 has an optional battery so that you can take it with you and print up to 36 shots on a single charge.

The ultra-stylish, ultra-easy

home photo lab

SELPHY CP800

With a design that fits into any home the SELPHY CP800 is the convenient way to create lasting prints from your digital photos. Insert your card, press print, and in less than 1 minute it's ready.

Key features

- Stylish, ultra-compact photo printer in two colour variations*
- Easy operation with tilting 6.2 cm (2.5") LCD
- Instant printing in less than 1 minute and no waiting for start-up
- Range of print options and sizes including postcard, L, card, and stickers
- No hassle, lab quality prints with Auto Image Optimize, Smooth Skin, and Auto Red-Eye Correction
- Print direct from memory cards, PictBridge compatible cameras and USB stick
- Long-lasting 100 year prints
- ID Photo layout and Shuffle layout
- Print on the move with optional battery pack or Bluetooth adapter for mobile printing
- SELPHY Photo Print software with voice guidance

*Some colour variations may not be available in some regions

Image Optimize

Automatic Image Optimize detects and corrects image imperfections, adjusting face brightness and colour while reducing unwanted noise, giving your prints extra clarity and richness.

Memory Card Slots · USB Memory · 6.2 cm 2.5" Tilt-up LCD · Post Card 47 sec. · Image Optimize · OPTIONAL BATTERY NB-CP2L · ID Layout

Keep your SELPHY busy!

Canon is dedicated to providing you with many different ways to share your memories. From Mini stickers to Credit Card size media to Postcard packs, there's a solution for everyone.



Ink and paper sets For use with SELPHY CP series

KC-18IF
Ink Paper Set
Credit Card Size Stickers
(18 sheets)

KC-18IL
Ink Paper Set
Mini Stickers
(18 sheets)

KC-36IP
Ink Paper Set
Credit Card Size
(36 sheets)

KL-36IP
Ink Paper Set
L Size (36 sheets)

KP-36IP
Ink Paper Set
Postcard Size
(36 sheets)

KP-72IN/108IN
Ink Paper Set
Postcard Size
(72 or 108 sheets)

Quick Specifications

SELPHY CP800	
Print Method	Dye-sublimation thermal transfer
Ink / Paper Cartridge	Separate Ink Cartridge and Paper
Print Speed	Postcard size: approx. 47 sec (1)
Print Sizes Postcard (148 x 100 mm) L (119 x 89 mm) Credit Card (86 x 54 mm) Credit Card Stickers(86 x 54mm) Mini-Stickers(22.0 x 17.3 mm)	 Postcard L (2) Credit Card (2) Credit Card Stickers (2) Mini Stickers (x8 stickers on one sheet) (2)
Creative Printing Modes	Shuffle Layout
ID Photo Printing	Yes (3 Sizes on one sheet) (3)
Print Longevity	100 Years Print (4)
Print Direct from a PictBridge Device	Yes
Print Direct from a Memory Card	Yes (3)
Print Direct from a Camera Phone	Yes, with optional Bluetooth Unit BU-30 (5)
Print Direct from a Computer	Yes, requires standard USB cable
Print Direct from USB Flash Memory	Yes (6)
LCD Monitor	6.2 cm (2.5") Colour TFT with tilt mechanism
Software Supplied	SELPHY Photo Print
AC Power Supply	External, supplied
Battery Pack	Optional
Accessories	CP Printer Carrying Case DCC-CP2 L size Paper Cassette [PCL-CP300] Card Size Paper Cassette [PCC-CP30 0] Battery Pack NB-CP2L BU-30 Bluetooth Unit
Dimensions	177.0 x 134.6 x 68.8 mm (printer only without protrusions)
Weight	940 g (Excluding Ink Cartridge and Paper Cassette)

All data is based on Canon's standard testing methods. Subject to change without notice.

(1) Print speed can vary dependent on data size, print method, memory card and capacity and is measured from start of printing excluding paper handling
(2) Requires optional paper cassette
(3) See full specifications for details
(4) To test the image permanence of prints that are stored in an album, we use an accelerated testing method similar to how the image permanence of silver-halide photo papers are measured when stored in dark places. Print samples are printed with the optical density of 1.0 (each Bk, C, M,Y). The samples are kept in a certain environment of high temperature and 50% humidity. The rate of the decrease in the optical density and rate of yellow discoloration are recorded. The recorded results are then converted to the length of time when print image is kept in an environment of 23°C/ 50F humidity. <Criteria for estimation of print longevity> 'The point where monochromatic/ reflective optical density shows loss of 30% (starting density of 1.0).
(5) Mobile phones and PDA's must be Bluetooth enabled and support Bluetooth version 1.1 or above Photo printing only - pictures must be in the JPEG format. Bluetooth operation depends on the device and software version used
(6) Irregularly sized images, or images that have been edited on a computer may not display or print. USB Devices that are not identified as "Removable media" (such as external hard drives) or do not use the FAT or exFAT file system or have GUID partition tables created on a Macintosh computer are not supported.

PowerShot

	PowerShot A800	PowerShot A1200	PowerShot A2200	PowerShot A3200 IS	PowerShot A3300 IS	PowerShot D10	PowerShot SX130 IS	PowerShot SX210 IS
Colour Variation								
HS System								
Resolution	10.0 MP	12.1 MP	14.1 MP	14.1 MP	16.0 MP	12.1 MP	12.1 MP	14.1 MP
Sensor	CCD	CCD	CCD	CCD	CCD	CCD	CCD	CCD
Processor	DIGIC III	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4
Max.Aperture	f/3.0	f/2.8	f/2.8	f/2.8	f/2.8	f/2.8	f/3.4	f/3.1
Zoom (35 mm equivalent)	122 3.3x Optical 37	112 **4x Optical** **28**	112 4x Optical 28	**140** **5x Optical** 28	140 5x Optical 28	105 3x Optical 35	**336** **12x Optical** **28**	**392** **14x Optical** 28
Macro	1 cm	3 cm	3 cm	3 cm	3 cm	3 cm	1 cm	5 cm
Optical Image Stabilizer	No (Blur Reduction shooting mode)	No (Blur Reduction shooting mode)	No (Blur Reduction shooting mode)	3-stop. Dynamic IS	3-stop. Dynamic IS	3-stop	3-stop	4-stop. Dynamic IS
Max ISO value	1600	1600	1600	1600	1600	1600	1600	1600
Screen	6.2 cm (2.5") (approx. 115k dots)	6.8 cm (2.7") (approx. 230k dots)	6.8 cm (2.7") (approx. 230k dots)	6.7 cm (2.7") (approx. 230k dots)	7.5 cm (3.0") (approx. 230k dots)	6.2 cm (2.5") (approx. 230k dots) PureColor LCD II	7.5 cm (3.0") (approx. 230k dots)	7.6 cm (3.0") (approx. 230k dots) PureColor II G
Viewfinder		Optical						
Smart Auto Scenes	19	32	32	32	32	18	28	22
Selectable Shooting Modes	16 modes	19 + 6 Creative Filters	19 + 6 Creative Filters	18 + 6 Creative Filters	18 + 6 Creative Filters	20 modes	23 modes	25 modes
Manual Control							Full	Full
RAW								
HD Movie		HD (720p)	HD (720p)	HD (720p)	HD (720p)		HD (720p)	HD (720p)
HDMI								Yes
Battery Type	2x AA	2x AA	Li-ion NB-8L	Li-ion NB-8L	Li-ion NB-8L	Li-ion NB-6L	2x AA	Li-ion NB-5L
Weight (incl. battery and card)	Approx. 186 g	Approx. 185 g	Approx. 135 g	Approx. 149 g	Approx. 149 g	Approx. 212 g	Approx. 308 g	Approx. 215 g
Size (L x H x W mm)	94.3 x 61.6 x 31.2 mm	97.5 x 62.5 x 30.7 mm	93.2 x 57.2 x 23.6 mm	95.1 x 56.7 x 24.3 mm	95.1 x 56.7 x 23.9 mm	103.6 x 66.9 x 48.8 mm	113.3 x 73.2 x 45.8 mm	105.8 x 59.3 x 31.9 mm
Soft case	DCC-490	DCC-490	DCC-510	DCC-510	DCC-510	SC-DC70	DCC-750	DCC-1500
Waterproof case						Waterproof to 10m		
Highlights	Blur Reduction shooting mode	Optical Viewfinder Blur Reduction shooting mode	Blur Reduction shooting mode	Metal body	Metal body	Shock-proof, waterproof, freeze-proof and dust-proof	Great value wide angle, 12x zoom	Super compact super zoom

	PowerShot SX220 HS	PowerShot SX230 HS	PowerShot SX30 IS	PowerShot S95	PowerShot G12
Colour Variation					
HS System	Yes	Yes		Yes	Yes
Resolution	12.1 MP	12.1 MP	14.1 MP	10.0 MP	10.0 MP
Sensor	CMOS (high sensitivity back illuminated)	CMOS (high sensitivity back illuminated)	CCD	CCD (high sensitivity)	CCD (high sensitivity)
Processor	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4
Max.Aperture	f/3.1	f/3.1	f/2.7	f/2.0	f/2.8
Zoom (35 mm equivalent)	392 14x Optical 28	392 14x Optical 28	**840** **35x Optical** **24**	105 3.8x Optical 28	**140** **5x Optical** 28
Macro	5 cm	5 cm	0 cm	5 cm	1 cm
Optical Image Stabilizer	4-stop. Dynamic IS	4-stop. Dynamic IS	4.5-stop. Dynamic IS	4-stop. Hybrid IS	4-stop. Hybrid IS
Max ISO value	3200	3200	1600	3200	3200
Screen	7.5 cm (3.0") (approx. 461k dots) PureColor II G	7.5 cm (3.0") (approx. 461k dots) PureColor II G	6.8 cm (2.7") (approx. 230k dots) PureColor II Vari-Angle	7.5 cm (3.0") (approx. 461k dots) PureColor II G	7.0 cm (2.8") (approx. 461k dots) PureColor II Vari-Angle
Viewfinder			Electronic		Optical
Smart Auto Scenes	32	32	28	28	28
Selectable Shooting Modes	23 + 8 Creative Filters	23 + 8 Creative Filters	26 modes	28 modes	31 modes
Manual Control	Full	Full	Full	Full	Full
RAW				Yes	Yes
HD Movie	Full HD (1080p)	Full HD (1080p)	HD (720p)	HD (720p)	HD (720p)
HDMI	Yes	Yes	Yes	Yes	Yes
Battery Type	Li-ion NB-5L	Li-ion NB-5L	Li-ion NB-7L	Li-ion NB-6L	Li-ion NB-7L
Weight (incl. battery and card)	Approx. 215 g	Approx. 223 g	Approx. 601 g	Approx. 193 g	Approx. 401 g
Size (L x H x W mm)	105.7 x 59.3 x 33.2 mm	105.7 x 61.6 x 33.2 mm	122.9 x 92.4 x 107.7 mm	99.8 x 58.4 x 29.5 mm	112.1 x 76.2 x 48.3 mm
Soft case	DCC-1500	DCC-1500	DCC-850	DCC-1450	DCC-660, SC-DC65A, DCC-1600
Waterproof case	WP-DC42 (40 m)	WP-DC42 (40 m)		WP-DC38 (40m)	WP-DC34 (40m)
Highlights	The ideal travel compact combining HS System with 14x optical zoom and advanced Full HD movie functions	Canon's advanced travel compact with HS System, 14x optical zoom, Full HD movies and GPS in a metal body	Range leading zoom and Image Stabilizer	Lens Control Ring	Extensive accessories range including Lens Filter Adapter

IXUS

	IXUS 115 HS	IXUS 220 HS	IXUS 300 HS	IXUS 310 HS	IXUS 1000 HS
Colour Variation					
HS System	Yes	Yes	Yes	Yes	Yes
Resolution	12.1 MP	12.1 MP	10.0 MP	12.1 MP	10.0 MP
Sensor	CMOS (high sensitivity back illuminated)	CMOS (high sensitivity back illuminated)	CMOS (high sensitivity back illuminated)	CMOS (high sensitivity back illuminated)	CMOS (high sensitivity back illuminated)
Processor	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4	DIGIC 4
Max.Aperture	f/2.8	f/2.7	f/2.0	f/2.0	f/3.4
Zoom (35 mm equivalent)	112 4x Optical 28	**120** **5x Optical** **24**	105 3.8x Optical 28	105 4.4x Optical 24	**360** **10x Optical** 36
Macro	3 cm	3 cm	3 cm	3 cm	1 cm
Optical Image Stabilizer	3-stop. Dynamic IS	4-stop. Dynamic IS	3-stop	4-stop. Dynamic IS	4-stop. Dynamic IS
Max ISO value	3200	3200	3200	3200	3200
Screen	7.6 cm (3.0") (approx. 230k dots) PureColor II G	6.7 cm (2.7") (approx. 230k dots) PureColor II G	7.5 cm (3.0") (approx. 230k dots) PureColor II G	8 cm (3.2") (approx. 461k dots) PureColor II Touch	7.6 cm (3.0") (approx. 230k dots) PureColor II G
Viewfinder					
Smart Auto Scenes	32	32	22	32	28
Selectable Shooting Modes	27 modes	26 modes	23 modes	27 modes	24 modes
Manual Control			Av/Tv	Av/Tv	
RAW					
HD Movie	Full HD (1080p)	Full HD (1080p)	HD (720p)	Full HD (1080p)	Full HD (1080p)
HDMI	Yes	Yes	Yes	Yes	Yes
Battery Type	Li-ion NB-4L	Li-ion NB-4L	Li-ion NB-6L	Li-ion NB-6L	Li-ion NB-9L
Weight (incl. battery and card)	Approx. 140 g	Approx. 141 g	Approx. 175 g	Approx. 185 g	Approx. 190 g
Size (L x H x W mm)	93.1 x 55.8 x 19.9 mm	92.2 x 55.9 x 19.5 mm	100 x 54.1 x 23.6 mm	100.6 x 55.4 x 25.0 mm	101.3 x 58.5 x 22.3 mm
Soft case	DCC-60	DCC-1200	DCC-70	DCC-1700	DCC-1700
Waterproof case	WP-DC39 (40 m) WP-DC310L (3 m)	WP-DC41 (40 m) WP-DC320L (3 m)			
Highlights	Feature-packed and stylish	Super slim 24 mm 5x optical zoom		Full touchscreen control	10 x optical zoom and HS System

= denotes a feature step-up

IXUS PowerShot SELPHY
COMPACT PHOTO PRINTER

Product names, logos, brands and other trademarks referred to within this publication are the property of their respective trademark holders.

Canon Inc.
canon.com

Canon Europe
canon-europe.com

Canon Europe Ltd
3 The Square, Stockley Park
Uxbridge, Middlesex
UB11 1ET UK

English Edition 0150W650
Canon Europa N.V., 2011